

HYDRACIAL™

Hydracial™ SkinDefense Daily Moisturizer

Hydrates and protects your skin

DESCRIPTION

Hydracial™ SkinDefense Daily Moisturizer is a unique daytime anti-aging complexion moisturizer featuring cutting edge Tri-Ceutical Technology™ to defend, deeply hydrate and greatly improve skin's, firmness and luminosity. With a powerful peptide complex of Tripeptide-1, hydrolyzed soy protein, and hydrolyzed wheat protein, the SkinDefense Daily Moisturizer infuses your skin with deep hydration and protection against harmful environmental stresses.

Restore your skin's healthy complexion and elasticity by using this powerful daily moisturizer, which contains the following restorative and protective ingredients:

- Hydrolyzed Algin is a unique compound derived from algae that defends against environmental factors, such as pollution.
- Global Botanicals, including the resurrection plant, nourish and protect the skin.
- Vitamins C and E are both potent antioxidants.
- A special formula of botanicals and nutrients that create our proprietary Auto Defense Complex, which helps further protect your skin against environmental stresses.

Protect your skin against environmental elements while providing optimum hydration and moisture balance with Hydracial™ SkinDefense Daily Moisturizer. It leaves your skin looking young and radiant.

BENEFITS

- Promotes the appearance of skin surface firmness and luminosity.
- Protects skin against environmental stresses while boosting skin's own resilience.
- Oxidative cascade quenching fruit and plant extracts calm unsettled skin and boosts a healthy appearance.
- Supports optimum hydration and moisture balance.

PERSONAL CARE



HYDRACIAL™

KEY INGREDIENTS

- **Auto Defense Complex (ADC)**—Quenches the oxidative stress cascade.
- **Triptide-1, Hydrolyzed Soy Protein and Hydrolyzed Wheat Protein**—A powerful peptide cocktail that defends against Reactive Carbonyl Species (RCS).
- **Biosaccharide Gum-1**—Imparts a unique silky feel to the skin.
- **Hydrolyzed Algin**—Defends skin against undesirable urban assaults and poor lifestyle habits.
- **Tetrahexydecyl Ascorbate**—Stable oil soluble form of Vitamin C.
- **Squalane**—Supports skin with a protective coating and is vital for the healthy appearance and feel of skin, keeping it feeling supple and hydrated.
- **Phospholipids**—Supports an energized complexion.
- **Linoleic Acid**—Maintains healthy appearance, fortifying healthy oils and moisture levels to support moisturized and abundant looking skin.
- **Santalum Album (Sandalwood) Extract, Phellodendrom Amurense Bark Extract, Hordeum Distichon (Barley) • Extract**—Improves skin's ability to retain moisture.
- **Stearyl Glycyrrhetinate**—Defends and skin against irritation, calms and soothes irritated skin.
- **Tocopheryl Acetate (Vitamin E)**—A powerful antioxidant, works synergistically with ascorbate (vitamin C) to protect the skin.

Source Citations

1. Nugteren DH, Kivits GA. Conversion of linoleic acid and arachidonic acid by skin epidermal lipoxygenases. *Biochim Biophys Acta*. 1987 Sep 4;921(1):135-41.
2. Rawlings AV, Davies A, Carlomusto M, et al. Effect of lactic acid isomers on keratinocyte ceramide synthesis, stratum corneum lipid levels and stratum corneum barrier function. *Arch Dermatol Res* 1996;288:383-90.
3. Darmstadt GL, Mao-Qiang M, Chi E, et al. Impact of topical oils on the skin barrier: possible implications for neonatal health in developing countries. *Acta Paediatr* 2002;91:546-54.
4. Jiang SJ, Hwang SM, Choi EH, et al. Structural and functional effects of oleic acid and iontophoresis on hairless mouse stratum corneum. *J Invest Dermatol* 2000;114:64-70.
5. Zhai H, Brachman F, Pelosi A, Anigbogu A, Ramos MB, Torralba MC, Maibach HI. A bioengineering study on the efficacy of a skin protectant lotion in preventing SLS-induced dermatitis. *Skin Res Technol*. 2000 May;6(2):77-80.
6. Punnonen, K., Puustinen, T., and Jansen, C. T., Time course of incorporation of 20-carbon polyunsaturated fatty acids in a human keratinocyte cell line, *Lipids* 22 (3), 139-43., 1987.
7. Wertz, P. W. and Downing, D. T., Metabolism of topically applied fatty acid methyl esters in BALB/C mouse epidermis, *J Dermatol Sci* 1 (1), 33-7., 1990.
8. Yonezawa Y, et al. *Jap J Pharmac* 1976;96(2):203-8. Physicochemical properties of glycyrrhizin in water solution; effect on surface activity and formation of association complex.
9. Kurebe M, et al. *J Keio Medical Society* 1970;47(4):331. Study on mechanisms of anti-inflammatory action of glycyrrhetinic acid.